

ED 374 898

PS 022 711

TITLE Infant Mortality: District Profiles for the Congressional Black Caucus, 102nd Congress. Report for the Congressional Black Caucus.

INSTITUTION National Commission To Prevent Infant Mortality, Washington, DC.

PUB DATE 17 Jul 92

NOTE 20p.

PUB TYPE Statistical Data (110)

EDRS PRICE MF01/PC01 Plus Postage.

DESCRIPTORS Birth Weight; *Blacks; Child Health; Demography; *Infant Mortality; *Mortality Rate; Prenatal Care; *Profiles; Racial Differences; *Whites

IDENTIFIERS Congressional Black Caucus; United States

ABSTRACT

This report provides an overview of infant mortality rates in congressional districts represented by members of the Congressional Black Caucus (CBC). The 1989 or 1990 mortality rates for Blacks and Whites for the 25 districts represented by CBC members are presented, as well as rates for the overall population. An appendix provides data on Black, White, and overall mortality rates in the United States from 1970 through 1989, and infant mortality, low birth weight, and prenatal care by race and state for 1989. The report notes that in 1989, the infant mortality rate among Blacks was 17.7 per 1,000 live births, while the rate for Whites was 8.2. Whereas infant mortality rates for both Blacks and Whites have dropped by 50 percent since 1970, the ratio between the 2 rates has remained unchanged. (MDM)

* Reproductions supplied by EDRS are the best that can be made *
* from the original document. *

ED 374 898

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION
CENTER (ERIC)

X This document has been reproduced as
received from the person or organization
originating it

☐ Minor changes have been made to
improve reproduction quality

• Points of view or opinions stated in this
document do not necessarily represent
official OERI position or policy

**INFANT MORTALITY :
DISTRICT PROFILES
FOR THE
CONGRESSIONAL BLACK CAUCUS
102ND CONGRESS**

"PERMISSION TO REPRODUCE THIS
MATERIAL HAS BEEN GRANTED BY

Olivia Pickett

TO THE EDUCATIONAL RESOURCES
INFORMATION CENTER (ERIC) "

PS 022711

BEST COPY AVAILABLE

National Commission to Prevent Infant Mortality
Switzer Building • Room 2014
330 C Street, S.W. • Washington, D.C. 20201
202-472-1364

**INFANT MORTALITY :
DISTRICT PROFILES
FOR THE
CONGRESSIONAL BLACK CAUCUS
102ND CONGRESS**

report for the

CONGRESSIONAL BLACK CAUCUS

**The Honorable Edolphus Towns
Chairman**

July 17, 1992

prepared by the

**National Commission To Prevent Infant Mortality
Washington, D.C.**

TABLE OF CONTENTS

INTRODUCTION.....	ii
-------------------	----

INFANT MORTALITY RATES

CALIFORNIA.....	1
CONNECTICUT.....	1
DISTRICT OF COLUMBIA.....	2
GEORGIA.....	2
ILLINOIS.....	2
LOUISIANA.....	3
MARYLAND.....	3
MICHIGAN.....	3
MISSOURI.....	4
MISSISSIPPI.....	4
NEW JERSEY.....	6
NEW YORK.....	6
OHIO.....	7
PENNSYLVANIA.....	7
TENNESSEE.....	8
TEXAS.....	8

APPENDIX

U.S. INFANT MORTALITY RATE BY RACE, 1970-1989

INFANT MORTALITY, LOW BIRTHWEIGHT AND PRENATAL CARE,
BY STATE, 1989

**INFANT MORTALITY:
PROFILES OF DISTRICTS
FOR THE CONGRESSIONAL BLACK CAUCUS
102ND CONGRESS**

INTRODUCTION

Our nation's mothers and children are in trouble. In 1989, the United States, with an infant mortality rate of 9.8, ranked behind 21 other nations in the number of babies who died in their first year of life. (the infant mortality rate equals the number of infant deaths in the first year of life per 1,000 live births).

In the United States, rates of infant mortality vary widely among racial, ethnic and socioeconomic groups. Rates for African Americans and the poor are much worse than our national average, ranking along with those found in Hungary, Bulgaria and Costa Rica. Historically the gap between the African American and white rates of infant mortality has been large -- and it remains so. African American babies die at more than twice the rate of whites. In 1989 the infant mortality rate among African Americans was 17.7, while the rate for whites was 8.2

The National Commission to Prevent Infant Mortality was established by Congress in 1987 to create a national strategic plan to reduce infant mortality and morbidity in the United States. The sixteen-member Commission includes Members of Congress, the Secretary of Health and Human Services and the Comptroller General of the United States, representatives of state government, and experts in the field of maternal and child health. Knowing that many, if not most, of the answers to how to promote the health of mothers and children have existed for decades, the Commission chose to focus on practical solutions at the federal, state and local levels for improving the health and well-being of mothers and children, rather than create a new body of research.

Among its many projects, the Commission has recently developed the National Consortium for African American Children. The Consortium's Steering Committee includes members of Congress, experts in health and social policy, education and media relations. Its mission is to improve the general health and well-being of African American children by advocating change in public policies and programs. Issues include health, education, socioeconomic empowerment, media influence and spiritual/character development. The first issue the Consortium will address is infant mortality.

The following information has been prepared for the Congressional Black Caucus (CBC) by the National Commission to Prevent Infant Mortality. It provides an overview of infant mortality rates in the districts represented by CBC members.

INFANT MORTALITY RATES^{*}

CALIFORNIA

Rep. Ronald Dellums (8th District) - Alameda, Contra Costa and Los Angeles Counties
 Rep. Julian Dixon (28th District) - Los Angeles County
 Rep. Mervyn Dymally (31st District) - Los Angeles County
 Rep. Maxine Waters (29th District) - Los Angeles County

		<u>Total</u>	<u>Black</u>	<u>White</u>
California	1989	8.5	19.3	7.7
Alameda County	1989	7.8	15.9	5.8
	1990	8.8	17.5	6.8
Contra Costa County	1989	7.1	12.3	6.7
	1990	6.4	11.1	5.8
Los Angeles County	1989	9.2	21.3	7.8
	1990	8.0	16.0	7.3

CONNECTICUT

Rep. Gary Frank (5th District) - New Haven and Fairfield Counties
 (rates only available for 1989 and for selected cities)

		<u>Total</u>	<u>Black</u>	<u>White</u>
Connecticut	1989	8.8	20.2	7.1
Ansonia	1989	9.9	N/A	N/A
Danbury	1989	7.0	9.4	N/A
Meriden	1989	6.8	12.5	N/A
New Haven	1989	18.4	24.9	N/A
Waterbury	1989	10.4	17.2	N/A

N/A
 *

rate not available
 The infant mortality rate is the number of infant deaths per 1,000 live births. All states' infant mortality rates are for 1989 because 1990 rates are not available.

DISTRICT OF COLUMBIA

Rep. Eleanor Holmes-Norton (DC)

		<u>Total</u>	<u>Black</u>	<u>White</u>
District of Columbia	1989	22.9	26.5	14.4
	1990	20.1	24.1	8.9

GEORGIA

Rep. John Lewis (5th District)

		<u>Total</u>	<u>Black</u>	<u>White</u>
Georgia	1989	12.3	18.4	9.0
Clayton County	1989	12.6	17.6	11.0
	1990	14.2	19.7	11.8
Cobb County	1989	10.9	20.9	9.3
	1990	9.5	18.2	7.8
De Kalb County	1989	12.0	15.2	8.0
	1990	12.9	15.0	9.5
Fulton County	1989	14.5	18.3	7.6
	1990	14.5	18.7	7.3

ILLINOIS

Rep. Cardis Collins (7th District)
 Rep. Charles Hayes (1st District)
 Rep. Gus Savage (2nd District)

		<u>Total</u>	<u>Black</u>	<u>White</u>
Illinois	1989	11.7	21.4	9.1
Cook County	1989	9.4	20.5	8.0
	1990	9.5	19.5	7.9

LOUISIANA

Rep. William Jefferson (2nd District)

		<u>Total</u>	<u>Black</u>	<u>White</u>
Louisiana	1989	11.4	16.0	8.5
Jefferson Parish	1989	10.3	25.2	9.8
	1990	7.2	9.9	6.2
Orleans Parish	1989	15.0	15.6	14.5
	1990	16.2	19.2	6.5

MARYLAND

Rep. Kweisi Mfume (7th District)

		<u>Total</u>	<u>Black</u>	<u>White</u>
Maryland	1989	10.3	15.9	8.1
Baltimore County	1989	10.0	15.0	9.2
Baltimore City	1989	14.1	17.2	7.7

1990 rates not available

MICHIGAN

Rep. Barbara-Rose Collins (13th District)

		<u>Total</u>	<u>Black</u>	<u>White</u>
Michigan	1989	11.1	22.5	8.2
Detroit	1989	21.3	23.8	10.9
	1990	20.4	23.0	8.7

Michigan Con't

Rep. John Conyers (1st District)

		<u>Total</u>	<u>Black</u>	<u>White</u>
Wayne County	1989	16.1	23.1	8.7
	1990	16.2	23.1	7.7

MISSOURI

Alan Wheat (5th District)

		<u>Total</u>	<u>Black</u>	<u>White</u>
Missouri	1989	9.9	17.4	8.5
Jackson County	1989	11.0	17.8	8.1
	1990	10.2	17.8	7.2

MISSISSIPPI

Rep. Mike Espy (2nd District)

		<u>Total</u> *	<u>Non-^{**} White</u> *	<u>White</u> *
Mississippi	1989	11.6	14.9	8.6
Attala County	1989	12.5 (4)	16.2 (3)	7.4 (1)
	1990	10.0 (3)	18.1 (3)	-- (0)
Bolivar County	1989	15.0	16.2	10.8 (2)
	1990	18.9	22.1	6.2 (1)
Carroll County	1989	8.5 (1)	15.6 (1)	-- (0)
	1990	19.8 (2)	32.8 (2)	-- (0)
Claiborne County	1989	11.6 (2)	13.1 (2)	-- (0)
	1990	14.1 (3)	15.3 (3)	-- (0)

* When infant mortality rate is based on fewer than 10 deaths, number of deaths is indicated in parentheses.

** Information for African Americans is not available as a category.

Mississippi Con't

		<u>Total *</u>	<u>Non-^{**} White *</u>	<u>White *</u>
Coahoma County	1989	17.4	21.8	-- (0)
	1990	12.5 (8)	15.7 (8)	-- (0)
Grenada County	1989	13.1 (5)	22.4 (5)	-- (0)
	1990	7.0 (3)	12.3 (3)	-- (0)
Hinds County	1989	9.9	10.5	8.7
	1990	12.8	15.8	6.7
Holmes County	1989	17.6 (8)	20.1 (8)	-- (0)
	1990	9.5 (4)	10.8 (4)	-- (0)
Humphrey's County	1989	12.3 (3)	9.6 (2)	28.6 (1)
	1990	27.1 (7)	36.0 (7)	-- (0)
Issaquena County	1989	-- (0)	-- (0)	-- (0)
	1990	-- (0)	-- (0)	-- (0)
Jefferson County	1989	6.3 (1)	7.0 (1)	-- (0)
	1990	7.4 (1)	8.3 (1)	-- (0)
Le Flore County	1989	15.1	14.8 (8)	15.9 (3)
	1990	15.9	17.9	10.2 (2)
Madison County	1989	12.4	9.2 (5)	15.9 (8)
	1990	14.3	20.6	7.8 (4)
Panola County	1989	7.3 (4)	8.9 (3)	4.8 (1)
	1990	3.6 (2)	3.0 (1)	4.6 (1)
Quitman County	1989	9.3 (2)	12.6 (2)	-- (0)
	1990	18.1 (4)	12.3 (20)	35.1 (2)
Sharkey County	1989	6.4 (1)	7.3 (1)	-- (0)
	1990	22.2 (3)	19.0 (2)	33.3 (1)
Sunflower County	1989	22.1	20.2	29.8 (4)
	1990	16.8	21.0	-- (0)
Tallahatchie County	1989	18.9 (6)	21.8 (5)	11.4 (1)
	1990	16.3 (5)	17.4 (4)	13.2 (1)
Tunica County	1989	20.9 (4)	18.6 (3)	33.3 (1)
	1990	-- (0)	-- (0)	-- (0)
Warren County	1989	2.5 (2)	4.8 (2)	-- (0)
	1990	12.4	10.6 (6)	14.0 (4)

Mississippi Con't

		<u>Total *</u>	<u>Non-^{**} White *</u>	<u>White *</u>
Washington County	1989	12.7	12.4	13.3 (5)
	1990	12.8	17.0 (1)	2.6
Yazoo County	1989	13.1 (6)	19.2 (6)	-- (0)
	1990	14.1 (7)	14.6 (5)	13.0 (2)

NEW JERSEY

Rep. Donald Payne (10th District)

		<u>Total</u>	<u>Black</u>	<u>White</u>
New Jersey	1989	9.3	19.3	7.0
Essex County	1989	14.5	21.4	7.5
Hudson County	1989	9.0	14.8	7.2
Union County	1989	8.5	14.1	6.9

1990 rates not available

NEW YORKRep. Major Owens (12th District)
Rep. Edolphus Towns (11th District)

		<u>Total</u>	<u>Black</u>	<u>White</u>
New York	1989	10.6	19.0	8.5
Brooklyn	1989	15.0	17.3	9.5
	1990	13.3	16.2	6.7

New York Con't

Rep. Charles Rangel (16th District)

		<u>Total</u>	<u>Black</u>	<u>White</u>
Manhattan	1989	12.4	14.0	8.2
	1990	10.4	16.4	4.5

Rep. Floyd Flake (6th District)

		<u>Total</u>	<u>Black</u>	<u>White</u>
Queens	1989	10.4	14.1	7.3
	1990	8.9	12.4	7.0

OHIO

Rep. Louis Stokes (21st District)

		<u>Total</u>	<u>Black</u>	<u>White</u>
Ohio	1989	9.9	18.7	8.4
Cleveland	1989	12.5	19.4	8.8
	1990	16.3	19.5	12.5
Cuyahoga County	1989	14.1	22.5	9.3
	1990	17.9	22.9	11.4

PENNSYLVANIA

Rep. Lucien Blackwell (2nd District)

		<u>Total</u>	<u>Black</u>	<u>White</u>
Pennsylvania	1989	10.2	23.0	7.9
Philadelphia	1989	17.7	22.6	11.2
	1990	16.0	22.1	7.9

TENNESSEE

Rep. Harold Ford (9th District)

		<u>Total</u>	<u>Other Races</u>	<u>White</u>
Tennessee	1989	10.8	18.8	8.3
Shelby County	1989	14.6	19.3	8.1
	1990	14.4	19.7	6.8

* Information for African Americans is not available as a separate category.

TEXAS

Rep. Craig A. Washington (18th District)

		<u>Total</u>	<u>Black</u>	<u>White</u>
Texas	1989	9.2	16.9	7.9
Harris County	1989	9.8	17.2	7.7
	1990	8.6	16.3	6.4

APPENDIX

U.S. INFANT MORTALITY RATE BY RACE, 1970-1989

	<u>IM Rate Total</u>	<u>IM Rate White</u>	<u>IM Rate Black</u>
1970	20.0	17.8	32.6
1971	19.1	17.1	30.3
1972	18.5	16.4	29.6
1973	17.7	15.8	28.1
1974	16.7	14.8	26.8
1975	16.1	14.2	26.2
1976	15.2	13.3	25.5
1977	14.1	12.3	23.6
1978	13.8	12.0	23.1
1979	13.1	11.4	21.8
1980	12.6	11.0	21.4
1981	11.9	10.5	20.0
1982	11.5	10.1	19.6
1983	11.2	9.7	19.2
1984	10.8	9.4	18.4
1985	10.6	9.3	18.2
1986	10.4	8.9	18.0
1987	10.1	8.6	17.9
1988	10.0	8.5	17.6
1989	9.8	8.2	17.7

Source: National Center for Health Statistics. The infant mortality rate is the number of infant deaths per thousand live births.

INFANT MORTALITY, LOW BIRTHWEIGHT AND
PRENATAL CARE, BY STATE, 1989

Rank	State	Infant Mortality (per 1,000 live births)		Low Birthweight (percent)		Early Prenatal Care (percent)		
		All	African American	All	White	All	White	
1	Vermont	6.9	7.0	*	5.4	81.0	81.2	61.5
2	Minnesota	7.1	6.3	12.4	4.5	80.8	83.6	51.4
3	Maine	7.4	7.2	*	4.9	82.6	82.5	82.0
4	Massachusetts	7.7	6.9	16.5	5.3	82.7	85.5	61.2
5	Nebraska	7.9	7.0	18.8	5.2	83.1	84.6	66.8
6	New Hampshire	8.0	8.0	*	5.1	84.6	84.7	63.8
6	North Dakota	8.0	7.3	*	4.9	82.5	84.6	78.3
6	Utah	8.0	7.6	*	5.6	84.1	85.3	72.1
9	Nevada	8.1	7.2	19.1	6.3	71.0	72.9	53.7
10	Hawaii	8.3	4.7	*	5.6	75.4	81.6	73.8
10	Iowa	8.3	7.8	21.8	5.3	85.2	85.8	66.1
12	California	8.5	7.7	19.3	5.3	72.6	72.7	67.0
12	Oklahoma	8.5	7.8	13.8	5.9	72.4	75.8	57.0
12	New Mexico	8.5	7.7	*	6.9	57.4	59.5	47.8
15	Colorado	8.7	8.4	16.3	7.4	76.3	77.4	62.3
16	Connecticut	8.8	7.1	20.2	5.7	83.5	86.5	63.0
16	Kansas	8.8	8.1	16.0	5.5	80.5	82.4	64.8
18	Oregon	8.9	8.6	24.3	5.0	75.1	75.7	61.6
19	Wisconsin	9.1	8.2	16.8	4.8	81.6	85.0	66.9
20	Alaska	9.2	6.8	*	4.5	81.5	84.4	81.9
20	Arizona	9.2	8.6	21.7	6.1	65.5	67.7	56.2
20	Kentucky	9.2	8.3	18.0	6.3	76.8	78.2	63.6
20	Texas	9.2	7.9	16.9	6.0	66.9	68.5	56.1
20	Washington	9.2	8.6	21.7	5.3	76.8	78.5	60.3
25	New Jersey	9.3	7.0	19.3	5.6	79.4	84.4	59.2
26	West Virginia	9.4	9.3	*	6.4	73.7	74.4	54.5
26	Wyoming	9.4	9.6	*	7.2	79.7	80.4	66.2
28	South Dakota	9.6	7.0	*	5.1	78.0	82.1	63.9
29	Idaho	9.7	9.4	*	5.5	73.6	74.0	77.1
30	Florida	9.8	7.9	16.4	6.0	70.9	76.3	53.4
31	Missouri	9.9	8.5	17.4	5.7	78.4	82.0	60.9
31	Ohio	9.9	8.4	18.7	5.9	81.6	84.4	65.9

Rank	State	Infant Mortality		Low Birthweight		Early Prenatal Care	
		All	African American	All	African American	All	African American
33	Virginia	10.0	7.3	7.1	5.4	79.6	84.6
34	Arkansas	10.2	8.4	8.3	6.6	70.7	75.7
34	Indiana	10.2	9.1	6.6	5.9	78.6	80.5
34	Pennsylvania	10.2	7.9	7.1	5.7	79.0	83.8
34	Rhode Island	10.2	9.8	6.2	5.6	84.1	86.6
38	Maryland	10.3	8.1	8.0	5.8	82.6	88.5
39	New York	10.6	8.5	7.7	6.0	73.5	79.1
40	Tennessee	10.8	8.3	8.2	6.5	76.4	79.9
41	Michigan	11.1	8.2	7.6	5.6	79.1	83.0
42	Montana	11.3	9.6	5.5	5.4	77.2	79.7
42	North Carolina	11.3	8.5	8.1	6.0	75.7	83.0
44	Louisiana	11.4	8.5	9.1	6.1	75.2	85.1
45	Mississippi	11.6	8.6	9.4	6.5	75.0	85.4
46	Illinois	11.7	9.1	7.7	5.6	78.1	83.0
47	Delaware	11.8	9.5	7.5	5.7	77.3	83.7
48	Alabama	12.1	9.3	8.3	6.2	73.0	80.3
49	Georgia	12.3	9.0	8.4	5.8	72.7	79.7
50	South Carolina	12.8	9.0	9.2	6.5	67.3	77.3
51	Washington, D.C.	22.9	14.4	15.9	6.4	59.1	85.3
	United States	9.8	8.2	7.0	5.7	75.5	78.9
			17.7***		13.5		59.9

Source: National Center for Health Statistics, "Advance Report of Final Mortality Data, 1989", Monthly Vital Statistics Report, Vol. 40, No. 8 (S), December 12, 1991

* In these states too few African American infants died to calculate an infant mortality rate.

** In these states too few African American infants were born low birthweight to calculate a rate.

*** Beginning in 1989, the National Center for Health Statistics tabulated race according to the race of the mother. In the past this had been done by race of the child. For the purpose of comparisons over time, the national rates used here are according to race of the child. The rates for each state are according to race of the mother.